

## **AGENDA**

**A MEETING OF THE BOARD OF PUBLIC WORKS & SAFETY OF THE CIVIL CITY OF NEW ALBANY, INDIANA, WILL BE HELD IN THE THIRD FLOOR ASSEMBLY ROOM AT THE CITY/COUNTY BUILDING ON WEDNESDAY, NOVEMBER 6, 2019 AT 10:00 A.M.**

### **CALL TO ORDER:**

### **PLEDGE OF ALLEGIANCE:**

### **BIDS:**

### **NEW BUSINESS:**

1. Vectren re: Cut permits for 2513 Grant Line Rd (17055857) – street cut, 2617 Grant Line Rd (17055771) – street cut. 3531 Grant Line Rd (16240498) – sidewalk cut, 1745 Klerner Ln (16713975) – street cut. 604 Mount Tabor Rd (16812068) – street cut (Work Complete)

### **COMMUNICATIONS – PUBLIC:**

### **UNFINISHED BUSINESS:**

### **TABLED ITEMS:**

### **COMMUNICATIONS – CITY OFFICIALS:**

1. Vicki Glotzbach for Silvercrest re: Banner request for Annual Christmas Bazaar

### **APPOINTMENTS:**

### **CLAIMS:**

### **APPROVAL OF MINUTES:**

Regular Meeting Minutes for October 29, 2019

### **ADJOURN:**

**A MEETING OF THE BOARD OF PUBLIC WORKS & SAFETY OF THE CIVIL CITY OF NEW ALBANY, INDIANA, WILL BE HELD IN THE THIRD FLOOR ASSEMBLY ROOM AT THE CITY/COUNTY BUILDING ON TUESDAY, OCTOBER 29, 2019 AT 10:00 A.M.**

**PRESENT:** Warren V. Nash, President, Mickey Thompson, member and Cheryl Cotner-Bailey, member.

**OTHERS PRESENT:** Police Chief Bailey, Assistant Police Chief Fudge, Fire Chief Juliot, Sidney Main, Russ Segraves, Fire Marshall Chris Koehler, Jessica Campbell, Linda Moeller, David Hall, Tonya Fischer, Krystina Jarboe, Chris Gardner, Sean Payne, and Vicki Glotzbach

**CALL TO ORDER:**

**Mr. Nash called the meeting to order at 10:00 a.m.**

**PLEDGE OF ALLEGIANCE:**

**BIDS:**

**NEW BUSINESS:**

**1. Vitor Bueno re: Plat approval for Subdivision of JFN, LLC**

**Mr. Bueno** stated that the plat was submitted to planning and zoning on March 22, 2017 and approved but was never recorded.

**Mr. Nash** asked why we are doing this two years later.

**Mr. Bueno** stated that there was a change in management and it just slipped through the cracks.

**Mr. Thompson** stated that he is just asking for it to be approved to be recorded and not asking for any curb cuts or anything like that right now.

**Mr. Bueno** stated that is correct.

**Mr. Nash** asked Mr. Summers if he had any comments.

**Mr. Summers** stated that his only comment would be that when they come back for a curb cut, the board would only allow it on Progressive or Industrial and not on Mt. Tabor.

**Mr. Thompson moved to approve, Mrs. Cotner-Bailey second, motion carries.**

**COMMUNICATIONS – PUBLIC:**

**Mr. Derek Misch, Dan Cristiani,** stated that they are getting ready to start a water project on Alice Avenue and would like a lane closure on Knob Avenue on November 11-13 from 8:30 a.m. until 5:00 p.m. and a lane closure on Alice Avenue on November 11-22 from 7:00 a.m. until 5:00 p.m. He also stated that they will need to do an 8'X6' saw cut on Knob Avenue and a few saw cuts on Adams Street to connect the new main and to retire the old main.

**Mr. Thompson** stated that Mr. Summers and he have been working with the water company and most of it is in the grass but there may be some that gets close to the pavement but they are making every effort to stay out of the new pavement.

**Mr. Misch** stated they are going to bore underneath Alice Avenue to Knob Avenue.

**Mr. Nash** asked how he is going to let the residents know about the lane closures.

**Mr. Misch** stated that he would write a letter and put it on their doors.

**Mr. Thompson** moved to approve subject to letting the residents know beforehand, **Mrs. Cotner-Bailey** second, motion carries.

**Mr. Brandon Frazier, Jacobi, Toombs & Lanz**, reported the following:

- Grant Line Road (Daisy Lane To McDonald Lane):
  - The Contractor is working on:
    - Phase 2 construction (West side of Grant Line Road) is underway and traffic changeover has taken place.
    - Placing fill material behind Modular Block Wall #1
    - Asphalt milling and intermediate asphalt installation this week, weather dependent. Surface asphalt anticipated to begin next week.
  - Navajo Drive has been opened to traffic

**Mrs. Cotner-Bailey** asked if they are going to flag during paving.

**Mr. Frazier** said that he would assume so.

**Mr. Thompson** stated that he knows that they have removed some of the silt fence and graded up to that on the north end but some of the utility work was on the back side of that and since it is INDOT they can't go outside the project limits so he asked if someone can notify him of those areas.

**Mr. Frazier** stated that these areas outside of the limits that need restoration.

**Mr. Thompson** stated that is correct.

**Mr. Summers** stated that it is primarily water and gas.

**Mr. Thompson** stated that we need to know those areas so that the utility knows to go back once our part is finished.

**Mr. Larry McIntire, Beam, Longest & Neff**, reported the following:

Notice to Proceed Date: Commence on or before 4/15/2019  
Final Completion Date: 240 Calendar Days from NTP or 12/10/2019  
Approximate % Complete: 15%

**Progress for the Week:**

- Contractor installed remaining trunk line sewer on east side of Slate Run Road.
- Contractor continued to install yard drains and made inlet height adjustments.
- Contractor installed inlet behind privacy fence after meeting with designer.

**Upcoming Activities:**

- Contractor will continue installing yard inlets and making inlet adjustments.
- Contractor will be prepping grade for pouring curbs in early November.
- Contractor will continue installing cross pipes from inlets on west side of road.

**Construction / Safety / Utility Issues:**

- Designer is looking at drainage near restaurant below awning.
- Contractor will continue using flaggers to control traffic at this time.

**Mr. McIntire** stated that when he was here last week he talked about closing the road on Saturday, November 9<sup>th</sup> but he spoke with the church and they have something going on that

weekend but would be okay with Saturday, November 16<sup>th</sup>. He said that he has also spoken with the school and they are okay with it too. He stated that they would like to close it from 7:00 a.m. Saturday, November 16<sup>th</sup> and reopen on Monday, November 18<sup>th</sup> at 5:00 a.m.

**Mr. Summers** stated that he has asked around and didn't find anyone that expressed concerns about that timeframe.

**Mr. Nash** asked what they are going to do for a detour.

**Mr. McIntire** stated that they will put up signage to go Old Ford Road or Garretson.

**Mr. Summers** stated that the preferred detour of Old Ford Road puts people onto Charlestown Road with a signal.

**Mrs. Cotner-Bailey** asked what section of Slate Run will be closed.

**Mr. Summers** stated that it will be right in front of the church where the substation is located.

**Mrs. Cotner-Bailey** asked that Mr. McIntire bring a map to the next meeting setting out the closure and detour.

**Mr. McIntire** stated that he would.

**Mr. Summers** stated that he wanted to reiterate that this does eliminate two weeks of lane shifts and flaggers so it will not only expedite the project but will also make it easier on the folks coming through there on a daily basis.

**Mr. Thompson** moved to approve the closure of Slate Run Road on Saturday, November 16<sup>th</sup> at 7:00 a.m. until Monday, November 18<sup>th</sup> at 5:00 a.m., Mrs. Cotner-Bailey second, motion carries.

**Mr. Pat Hauersperger, O'Mara**, presented a 3'X10' asphalt cut for a main break at 1904 Adams Street, (2) 6'X7' and a 5'X7' asphalt cut for retirements at 234 Silver, a 3'X3' asphalt cut to locate valve box at 201 E. Spring Street, a 2'X11' asphalt (curb) cut for a main break at 916 Pennwood, a 4'X17' sidewalk cut for a main break at 110 Venetian Way, an 18'X10' asphalt cut for a main break at 700 Pearl Street, a 12'X12' asphalt cut for a main break at 923 Griffin Street and a 33'X12' asphalt cut for a main break at 131 Hausfeldt Lane.

**Mr. Thompson** moved to approve the above cut requests, Mrs. Cotner-Bailey second, motion carries.

**Mr. Matt Hines, United Consulting**, reported the following:

### MT TABOR RD RECONSTRUCTION

#### Last Week

- Installed Surface asphalt at E Oakwood and school parking lot
- Installed Surface asphalt Terminal Joint at end of driveways
- Installed NW Grant Line ADA ramp
- Installed Topsoil and remaining Sod and Seed throughout project
- Installed Charlestown Rd Stop Bar and Crosswalk permanent striping

#### This week

- Install permanent signs
- Install mailboxes and monuments
- Install permanent striping for Tiger Blvd and E and W Oakwood. **Need lane shift at Grant Line intersection on Saturday 11/2.**

**Mrs. Cotner-Bailey** asked what time they want to do the lane shift.

**Mr. Hines** replied between 9:00 a.m. and 12:00 p.m.

**Mr. Summers** asked about the cones at the Grant Line Road intersection.

**Mr. Hines** stated that they will get those out of the way.

**Mr. Thompson** moved to approve the lane shift on Grant Line Road, **Mrs. Cotner-Bailey** second, motion carries.

**Mr. Wes Christmas, Clark-Dietz, 2019 Paving Update** – he reported that today they should be wrapping up the last of the full width milling and paving operations on Marianna Drive and Haze Drive which are the last two. He stated that yesterday they completed Lafayette and Lexington. He said that they are also wrapping up in Indian Heights so now work is going to switch over to punch lists, patching and miscellaneous items as they close out the contract for this year.

**Mr. Summers** stated that he wanted to reiterate that the manhole on Green Valley Road needs to be a priority.

**Mr. Christmas** stated that he sent that again this morning. He then stated that the loops at Bell Lane should have been fixed last week but they still have a little concrete work to be done around the detector housing but the light should be functioning properly.

**UNFINISHED BUSINESS:**

**TABLED ITEMS:**

**COMMUNICATIONS – CITY OFFICIALS:**

**1. Linda Moeller re: Bank Reconciliation Worksheets for September 2019**

**Mrs. Moeller** presented the Bank Reconciliation Worksheets for September 2019 to the board.

**Mr. Nash** requested that the record shows that the Bank Reconciliation Worksheets for September 2019 were received by the board.

**2. Mickey Thompson re: Sewer repair work on Oak Street**

**Mr. Thompson** explained that the sewer repair work being done at Oak Street is still going so we need to extend the closure.

**Mrs. Cotner-Bailey** asked if they know how much longer they need it to be closed.

**Mr. Thompson** replied no and stated that they just asked for an extension. He then suggested to extend it for two weeks.

**Mr. Summers** stated that the ground water there is an issue and they have been pumping as fast as they can but it is still not working fast enough so they are looking at another way to lower the water table so they can get in there.

**Mr. Nash** asked how they do that.

**Mr. Thompson** said with watering wells usually. He said that he will let them know that anything they can do to expedite it would be appreciated.

**Mr. Thompson** moved to approve the extension of the closure on Oak Street between Bank Street and Pearl Street for an additional two weeks, **Mrs. Cotner-Bailey** second, motion carries.

**APPOINTMENTS:**

**CLAIMS:**

**APPROVAL OF MINUTES:**

**Mrs. Cotner-Bailey moved to approve the Regular Meeting Minutes for October 22, 2019, Mr. Thompson second, motion carries.**

**ADJOURN:**

There being no further business before the board, the meeting adjourned at 10:35 a.m.

---

Warren Nash, President

---

Vicki Glotzbach, City Clerk

# EXCAVATION REPAIR REPORT

Report # **203084**

Sheet 1 of 1

BSCI

Group # \_\_\_\_\_

Maximo#: 17055857 Project #: 572032001 Task #: 034 Permit#: \_\_\_\_\_

Operating Service Area: CLARKSVILLE Prepared By: MIKE ROLOFF Date: 9-11-18

Address: 2513 GRANT LINE RD City: NEW ALBANY

Directions To Job Site: \_\_\_\_\_

INITIAL EXCAVATION BY:  Vectren  Contractor: MIKE PIGNORI Crew Lead: MIKE ROLOFF

Hole #1:  Street  Parkway  Sidewalk  Curb  Driveway  Parking Lot  State Highway  Other  
Size: 5'0" x 6'0"  Asphalt  Asphalt W/Concrete Base  Concrete  Brick  Other  
Valve Box or Other Facilities In Excavation:  Yes  No Depth \_\_\_\_\_

Hole #2:  Street  Parkway  Sidewalk  Curb  Driveway  Parking Lot  State Highway  Other  
Size: \_\_\_\_\_ x \_\_\_\_\_  Asphalt  Asphalt W/Concrete Base  Concrete  Brick  Other  
Valve Box or Other Facilities In Excavation:  Yes  No Depth \_\_\_\_\_

Hole #3:  Street  Parkway  Sidewalk  Curb  Driveway  Parking Lot  State Highway  Other  
Size: \_\_\_\_\_ x \_\_\_\_\_  Asphalt  Asphalt W/Concrete Base  Concrete  Brick  Other  
Valve Box or Other Facilities In Excavation:  Yes  No Depth \_\_\_\_\_

CURB / GUTTER: \_\_\_\_\_ Damaged or Removed  Steel Plate/No. Of Plates Left: \_\_\_\_\_  Barricade/No. Of Barricades Left: \_\_\_\_\_

Comments: \_\_\_\_\_

REPAIR NOTICE ISSUED TO:  Vectren  Contractor: Stoll Construction & Paving Co., Inc. Date: SEP 17 2019

Email/Scan  Fax  Contractor Pick-up  Other \_\_\_\_\_

REPAIRED BY:  Vectren  Contractor: Stoll Construction & Paving Co., Inc. Date: 10/25/19

Hole #1:  Asphalt  Asphalt W/Concrete Base  Concrete  J-Bolt/Rebar  Asphalt W/Asphalt Base  Brick  Cold Patch  
 Other 8" thickness Cut Back \_\_\_\_\_ " Final Repair 8'0" x 8'0" sqft 64

Hole #2:  Asphalt  Asphalt W/Concrete Base  Concrete  J-Bolt/Rebar  Asphalt W/Asphalt Base  Brick  Cold Patch  
 Other \_\_\_\_\_ Cut Back \_\_\_\_\_ " Final Repair \_\_\_\_\_ x \_\_\_\_\_ sqft



Hole #3:  Asphalt  Asphalt W/Concrete Base  Concrete  J-Bolt/Rebar  Asphalt W/Asphalt Base  Brick  Cold Patch  
 Other \_\_\_\_\_ Cut Back \_\_\_\_\_ " Final Repair \_\_\_\_\_ x \_\_\_\_\_ sqft

CURB / GUTTER: \_\_\_\_\_ Repaired

Comments: POUR PLUS

### SKETCH OF EXCAVATION

N  
↑



# EXCAVATION REPAIR REPORT

Report # **203083**

Sheet 1 of 1

BSCI

Group # \_\_\_\_\_

Maximo#: 17055771 Project #: 552032001 Task #: 038 Permit#: \_\_\_\_\_

Operating Service Area: CLARKSVILLE Prepared By: MIKE ROWLEY Date: 7-9-19

Address: 2617 GRANT LINE RD City: NEW ALBANY

Directions To Job Site: \_\_\_\_\_

INITIAL EXCAVATION By:  Vectren  Contractor: Miller Pipeline Crew Lead: MIKE ROWLEY

Hole #1:  Street  Parkway  Sidewalk  Curb  Driveway  Parking Lot  State Highway  Other \_\_\_\_\_

Size: 5'0" x 6'0"  Asphalt  Asphalt W/Concrete Base  Concrete  Brick  Other \_\_\_\_\_

Valve Box or Other Facilities In Excavation:  Yes  No Depth \_\_\_\_\_

Hole #2:  Street  Parkway  Sidewalk  Curb  Driveway  Parking Lot  State Highway  Other \_\_\_\_\_

Size: 2'2" x 4'5"  Asphalt  Asphalt W/Concrete Base  Concrete  Brick  Other \_\_\_\_\_

Valve Box or Other Facilities In Excavation:  Yes  No Depth \_\_\_\_\_

Hole #3:  Street  Parkway  Sidewalk  Curb  Driveway  Parking Lot  State Highway  Other \_\_\_\_\_

Size: \_\_\_\_\_ x \_\_\_\_\_  Asphalt  Asphalt W/Concrete Base  Concrete  Brick  Other \_\_\_\_\_

Valve Box or Other Facilities In Excavation:  Yes  No Depth \_\_\_\_\_

CURB / GUTTER: \_\_\_\_\_ Damaged or Removed  Steel Plate/No. Of Plates Left: \_\_\_\_\_  Barricade/No. Of Barricades Left: \_\_\_\_\_

Comments: \_\_\_\_\_

REPAIR NOTICE ISSUED TO:  Vectren  Contractor: Stoll Construction & Paving Co., Inc. Date: SEP 17 2019

Email/Scan  Fax  Contractor Pick-up  Other \_\_\_\_\_

REPAIRED BY:  Vectren  Contractor: Stoll Construction & Paving Co., Inc. Date: 10/25/19

Hole #1:  Asphalt  Asphalt W/Concrete Base  Concrete  J-Bolt/Rebar  Asphalt W/Asphalt Base  Brick  Cold Patch

Other 8" thick Cut Back \_\_\_\_\_ Final Repair 7'0" x 7'0" sqft 49

Hole #2:  Asphalt  Asphalt W/Concrete Base  Concrete  J-Bolt/Rebar  Asphalt W/Asphalt Base  Brick  Cold Patch

Other \_\_\_\_\_ Cut Back \_\_\_\_\_ Final Repair 2'0" x 5'0" sqft 10


Hole #3:  Asphalt  Asphalt W/Concrete Base  Concrete  J-Bolt/Rebar  Asphalt W/Asphalt Base  Brick  Cold Patch

Other \_\_\_\_\_ Cut Back \_\_\_\_\_ Final Repair \_\_\_\_\_ x \_\_\_\_\_ sqft \_\_\_\_\_

CURB / GUTTER: \_\_\_\_\_ Repaired

Comments: POUR PLATE 4' DI. HAGON

### SKETCH OF EXCAVATION





# EXCAVATION REPAIR REPORT

Report # **098526**

BSCI

Group # \_\_\_\_\_

Maximo#: 16240498 Project #: 5920-31001 Task #: 046 Permit#: \_\_\_\_\_

Operating Service Area: CC Prepared By: R. COOPER Date: 6-10-19

Address: 3531 GRANT LINE RD City: NEW ALBANY

Directions To Job Site: \_\_\_\_\_

INITIAL EXCAVATION By:  Vectren  Contractor: Miller Crew Lead: R. COOPER

Hole #1:  Street  Parkway  Sidewalk  Curb  Driveway  Parking Lot  State Highway  Other  
Size: 5'0" x 10'0"  Asphalt  Asphalt W/Concrete Base  Concrete  Brick  Other  
Valve Box or Other Facilities In Excavation:  Yes  No Depth 0"

Hole #2:  Street  Parkway  Sidewalk  Curb  Driveway  Parking Lot  State Highway  Other  
Size: \_\_\_\_\_ x \_\_\_\_\_  Asphalt  Asphalt W/Concrete Base  Concrete  Brick  Other  
Valve Box or Other Facilities In Excavation:  Yes  No Depth \_\_\_\_\_"

Hole #3:  Street  Parkway  Sidewalk  Curb  Driveway  Parking Lot  State Highway  Other  
Size: \_\_\_\_\_ x \_\_\_\_\_  Asphalt  Asphalt W/Concrete Base  Concrete  Brick  Other  
Valve Box or Other Facilities In Excavation:  Yes  No Depth \_\_\_\_\_"

CURB / GUTTER: \_\_\_\_\_ Damaged or Removed  Steel Plate/No. Of Plates Left: \_\_\_\_\_  Barricade/No. Of Barricades Left: \_\_\_\_\_

Comments: \_\_\_\_\_

REPAIR NOTICE ISSUED TO:  Vectren  Contractor: Stoll Construction & Paving Co., Inc. Date: JUN 13 2019

Email/Scan  Fax  Contractor Pick-up  Other \_\_\_\_\_

REPAIRED BY:  Vectren  Contractor: Stoll Construction & Paving Co., Inc. Date: 10/21/19

Hole #1:  Asphalt  Asphalt W/Concrete Base  Concrete  J-Bolt/Rebar  Asphalt W/Asphalt Base  Brick  Cold Patch  
 Other Sidewalk Cut Back \_\_\_\_\_" Final Repair 5'0" x 10'0" sqft 50


Hole #2:  Asphalt  Asphalt W/Concrete Base  Concrete  J-Bolt/Rebar  Asphalt W/Asphalt Base  Brick  Cold Patch  
 Other \_\_\_\_\_ Cut Back \_\_\_\_\_" Final Repair \_\_\_\_\_" x \_\_\_\_\_" sqft \_\_\_\_\_

Hole #3:  Asphalt  Asphalt W/Concrete Base  Concrete  J-Bolt/Rebar  Asphalt W/Asphalt Base  Brick  Cold Patch  
 Other \_\_\_\_\_ Cut Back \_\_\_\_\_" Final Repair \_\_\_\_\_" x \_\_\_\_\_" sqft \_\_\_\_\_

CURB / GUTTER: \_\_\_\_\_ Repaired

Comments: 4 hole flags

### SKETCH OF EXCAVATION



# EXCAVATION REPAIR REPORT

Report # **202931**

BSCI

Group # \_\_\_\_\_

Maximo#: 16713975 Project #: 552032001 Task #: 406 Permit#: \_\_\_\_\_  
 Operating Service Area: CLARKSVILLE Prepared By: MIKE RADCOFF Date: 6-18-19  
 Address: 1745 KLEINER LN City: NEW ALBANY  
 Directions To Job Site: \_\_\_\_\_

INITIAL EXCAVATION By:  Vectren  Contractor: Stoll Construction & Paving Co., Inc. Crew Lead: MIKE RADCOFF

Hole #1:  Street  Parkway  Sidewalk  Curb  Driveway  Parking Lot  State Highway  Other \_\_\_\_\_  
 Size: 2'6" x 3'0"  Asphalt  Asphalt W/Concrete Base  Concrete  Brick  Other \_\_\_\_\_  
 Valve Box or Other Facilities In Excavation:  Yes  No Depth \_\_\_\_\_

Hole #2:  Street  Parkway  Sidewalk  Curb  Driveway  Parking Lot  State Highway  Other \_\_\_\_\_  
 Size: \_\_\_\_\_ x \_\_\_\_\_  Asphalt  Asphalt W/Concrete Base  Concrete  Brick  Other \_\_\_\_\_  
 Valve Box or Other Facilities In Excavation:  Yes  No Depth \_\_\_\_\_

Hole #3:  Street  Parkway  Sidewalk  Curb  Driveway  Parking Lot  State Highway  Other \_\_\_\_\_  
 Size: \_\_\_\_\_ x \_\_\_\_\_  Asphalt  Asphalt W/Concrete Base  Concrete  Brick  Other \_\_\_\_\_  
 Valve Box or Other Facilities In Excavation:  Yes  No Depth \_\_\_\_\_

CURB / GUTTER: \_\_\_\_\_ Damaged or Removed  Steel Plate/No. Of Plates Left: \_\_\_\_\_  Barricade/No. Of Barricades Left: \_\_\_\_\_  
 Comments: \_\_\_\_\_

REPAIR NOTICE ISSUED TO:  Vectren  Contractor: Stoll Construction & Paving Co., Inc. Date: JUL 02 2019  
 Email/Scan  Fax  Contractor Pick-up  Other \_\_\_\_\_


REPAIRED BY:  Vectren  Contractor: Stoll Construction & Paving Co., Inc. Date: 10/15/19

Hole #1:  Asphalt  Asphalt W/Concrete Base  Concrete  J-Bolt/Rebar  Asphalt W/Asphalt Base  Brick  Cold Patch  
 Other M.I. EXCAVATE Cut Back \_\_\_\_\_ " Final Repair 3'0" x 3'0" sqft 9

Hole #2:  Asphalt  Asphalt W/Concrete Base  Concrete  J-Bolt/Rebar  Asphalt W/Asphalt Base  Brick  Cold Patch  
 Other \_\_\_\_\_ Cut Back \_\_\_\_\_ " Final Repair \_\_\_\_\_ x \_\_\_\_\_ sqft \_\_\_\_\_

Hole #3:  Asphalt  Asphalt W/Concrete Base  Concrete  J-Bolt/Rebar  Asphalt W/Asphalt Base  Brick  Cold Patch  
 Other \_\_\_\_\_ Cut Back \_\_\_\_\_ " Final Repair \_\_\_\_\_ x \_\_\_\_\_ sqft \_\_\_\_\_

CURB / GUTTER: \_\_\_\_\_ Repaired  
 Comments: \_\_\_\_\_





The Villages at  
HISTORIC  
SILVERCREST

**Silvercrest Annual Christmas Bazaar**  
**The 1<sup>st</sup> Saturday in December**  
Located near Scribner Middle School \* Call 812-542-6720 For Information

